

Single-Phase, Intermittent Duty Vacuum

- built for maximum suction and ease of use

The 118 was designed with ergonomics and ease of use in mind. A powerful vacuum, especially for its small size, the 118 is ideal for multiple applications. The vacuum comes standard with many features and can be equipped with a variety of options including an upstream HEPA filter and various accessories for all your cleaning needs.

Features and Benefits

- Large main filter provides more surface area for filtering and resists premature clogging.
- External filter shaker handle keeps the main filter free of clogging dust and maintains maximum suction power and filtration performance.
- Features a wheeled collection container that is easy to remove, lift, carry, and empty. The release handle turns into a convenient carrying handle after it is removed from the vacuum.
- The bypass motor, with its own cooling air source, protects the motor from clogging and burnout.
- A sound suppressor diffuses the exhaust air for optimum noise control.
- Strong, solid construction manufactured in high quality materials (steel or optional stainless steel).



Technical Specifications

Description	Unit	118
Collection Type	-	Dry
Type of Power	-	1-Phase
Voltage @ 60 Hz	V	120 / 240
Power @ 60 Hz, max.	HP (W)	1.34 (1000)
Waterlift, max.	in. (mm) H ₂ O	85 (2150)
Airflow, max.	CFM (L/min)	95 (2700)
Current, max. (1Ph, 120V)	amps	9
Current, max. (1 Ph, 230V)	amps	5
Container Capacity	gallons (L)	6.6 (25)
Main Filter Area	ft ² (m ²)	7.53 (0.7)
Main Filter Area, Oversized	ft ² (m ²)	13.99 (1.3)
Upstream HEPA Area	ft ² (m ²)	11.84 (1.1)
Machine Inlet Diameter	mm	50
Dimensions (LxWxH)	in x in x in (mm x mm x mm)	19.7 x 21.6 x 37.0 (500 x 550 x 940)
Weight	lb. (kg)	57 (26)
Cord Length	ft. (m)	30 (9)
Protection Class	-	IP43
Sound Pressure Level @ 3' 3"	dB(A)	76

Specifications and details are subject to change without prior notice.



Nilfisk, Inc., Industrial Vacuum Division

740 Hemlock Rd. · Morgantown, PA · 19543
 Tel.: (800) 645-3475 · Fax: (888) 624-8141
 questions@nilfisk.com
 www.nilfiskindustrialvacuums.com

